



Electrochemically active dopamine functionalized graphene for sensor application

Halder, Arnab; Ulstrup, Jens; Chi, Qijin

Publication date:
2015

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Halder, A., Ulstrup, J., & Chi, Q. (2015). *Electrochemically active dopamine functionalized graphene for sensor application*. Abstract from XXIII International Symposium on Bioelectrochemistry and Bioenergetics, Malmö, Sweden.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Electrochemically active dopamine functionalized graphene for sensor applications

Arnab Halder, Jens Ulstrup and Qijin Chi*

Technical University of Denmark, Department of Chemistry,
DK-2800 Kongens Lyngby, Denmark.
cq@kemi.dtu.dk

Graphene is a one-atom-thick two-dimensional material consisting of sp^2 -hybridized carbons and has drawn tremendous attention in the scientific community because of its large specific surface area, high-speed electron mobility, good mechanical strength, high electric and thermal conductivity, and good optical transparency^{1,2}. Recently, graphene based materials have also shown promising potential for the construction of various sensors with high sensitivity, lower detection limit, reasonable selectivity and good stability³. The unique properties of dopamine (DA) allow to be used simultaneously as a reducing agent for GO reduction and as a capping ligand to stabilize and decorate the resulting reduced GO (RGO) surface for further functionalization. Moreover, as the dopamine moiety contains a redox couple, the hybrid material can be highly applicable to electrochemical sensing. For example, DA functionalized RGO is capable of immobilization of proteins and enzymes. If enzymes can be covalently immobilized on the DA-RGO nanocomposite, the construction of graphene-based electrochemical biosensors will be conveniently facilitated^{4,5}. In addition, this kind of hybrid material could also be useful for pH sensing and other biosensing purposes. The poster presents a schematic illustration of research focus and some preliminary results regarding dopamine functionalized graphene oxide materials.

Acknowledgments

This project is supported by the Danish Research Council for Technology and Production Science (Project No. 12-127447).

References

1. A. K. Geim and K. S. Novoselov, *Nature Materials* **2007**, *6*, 183-191.
2. D. R. Dreyer, S. Park, C. W. Bielawski and R. S. Ruoff, *Chemical Society Reviews* **2010**, *39*, 228-240.
3. N. Zhu, S. Han, S. Gan, J. Ulstrup and Q. Chi, *Advanced Functional Materials* **2013**, *23*, 5297-5306.
4. L. Q. Xu, W. J. Yang, K.-G. Neoh, E.-T. Kang and G. D. Fu, *Macromolecules* **2010**, *43*, 8336-8339.
5. H. P. Liu, C. A. Tao, Z. H. Hu, S. D. Zhang, J. F. Wang and Y. G. Zhan, *RSC Advances* **2014**, *4*, 43624-43629.